







双列圆锥滚子轴承

Double row tapered roller bearings



基本尺寸 mm							代号	内径 mm		基本额定负荷		额定转速		计算系数				质量
d	D	T	B	C	r _{min}	r _{1min}		d	动态	静态	参考转速	极限转速	e	Y ₁	Y ₂	Y _o	kg	
									C	Co								
									KN	KN								
80	140	80	33	65	2.3	0.7	352216X2	80	340	530	2100	2800	0.4	1.68	2.5	1.64	5.52	
80	140	78	33	63.5	2.5	0.6	352216	80	340	530	2100	2800	0.42	1.61	2.39	1.57	4.9	
85	150	86	36	69	2.5	0.6	352217	85	390	620	2000	2700	0.42	1.61	2.39	1.57	5.85	
85	150	84	36	66	2.5	0.5	352217X2	85	360	630	2000	2700	0.42	1.61	2.39	1.57	5.59	
90	160	94	40	78	2.5	0.6	352218X2	90	440	525	1900	2500	0.42	1.61	2.39	1.57	7.83	
90	190	103	43	70	4	1	351318	90	530	760	1700	2200	0.83	0.83	1.22	0.8	12.3	
100	150	73	32	57	2	0.6	352020	100	295	560	1500	2000	0.46	1.47	2.19	1.44	4.14	
100	165	112	52	88	2.5	0.5	350620	100	470	1010	1500	2000	0.41	1.66	2.47	1.63	8.31	
100	180	111	46	92	3	0.8	352220X2	100	670	840	1700	2200	0.42	1.61	2.39	1.57	11.6	
100	190	125	62.5	100	3	1.3	350620D1	100	630	1050	1500	2000	0.36	1.85	2.76	1.81	14.9	
100	225	124	51	81	4	1	351320X1	100	700	1040	1500	2000	0.83	0.82	1.22	0.8	21.4	
105	190	115	50	95	3	1	352221	105	675	1150	1600	2100	0.42	1.61	2.39	1.57	13.7	
105	190	117	50	96	3	0.8	352221X2	105	675	1150	1600	2100	0.42	1.61	2.39	1.57	13.8	
110	150	80	30	63	0.8	0.3	350622	110	198	430	1300	1800	0.37	1.82	2.72	1.78	3.61	
110	170	86	38	68	2.5	0.6	352022	110	395	740	1300	1800	0.43	1.57	2.34	1.53	6.65	
110	200	124	53	102	3	0.6	352222X2	110	680	1150	1500	2000	0.42	1.61	2.39	1.57	16.5	
110	200	93	38	74	3	0.8	350222X2	110	560	875	1500	2000	0.42	1.61	2.39	1.57	8.21	
120	180	88	38	70	2.5	0.6	35202	120	405	785	1500	2000	0.46	1.47	2.19	1.44	7.31	
120	215	132	58	109	3	1	352224	120	770	1390	1400	1900	0.41	1.64	2.44	1.6	19.2	
120	215	132	58	106	3	1	352224X2	120	770	1390	1400	1900	0.41	1.64	2.44	1.6	19.1	
120	215	132	58	106	2.5	0.9	352224X2D	120	770	1390	1400	1900	0.41	1.64	2.44	1.6	19.1	
120	280	185	83.5	155	5	1.5	350624	120	1410	2250	1100	1500	0.39	1.74	2.59	1.7	54.5	
130	200	65	-	52	2.5	0.6	130KBE030+L	130	320	540	-	-	0.39	2.6	1.7	1.7	6.64	
130	200	90	90	34	0.6	2	32026/DF	130	600	1210	1300	1800	0.43	1.55	2.31	1.52	10.5	
130	200	95	42	75	2.5	0.7	352026X2	130	485	870	1300	1800	0.35	1.94	2.88	1.89	9.72	
130	180	70	30	56	2	0.5	352926X2	130	280	565	1400	1900	0.27	2.49	3.71	2.43	4.87	
130	214	115.6	48	98	2.3	0.7	352126X2	130	605	1070	1300	1700	0.32	2.13	3.17	2.08	15.7	
130	230	145	64	117.5	4	1	352226	130	890	1760	1300	1700	0.44	1.55	2.31	1.52	24.1	
130	230	149	64	120	4	0.8	352226X2	130	890	1760	1300	1700	0.44	1.55	2.31	1.52	27.4	
140	210	104	45	82	2.5	0.6	352028	140	580	1170	1200	1700	0.35	1.94	2.88	1.89	11.9	
140	210	95	42	75	2.5	0.6	352028X2	140	500	950	1200	1700	0.35	1.94	2.88	1.89	8.36	
140	225	115	50	90	2.5	1	352128	140	640	1180	1200	1700	0.34	2	2.98	1.96	15.5	
140	300	168	70	108	5	1.1	351328	140	1280	1970	1000	1200	0.83	0.82	1.22	0.8	51.2	
140	250	157	68	128	4	1	352228X2	140	1140	2080	1200	1600	0.44	1.55	2.31	1.52	31.7	
150	210	80	36	62	2.5	0.7	352930X2	150	385	795	1200	1500	0.27	2.48	3.69	2.42	9.32	
150	250	138	60	112	2.5	1	352130	150	865	1560	1100	1500	0.25	2.74	4.08	2.68	25.8	
150	270	169	73	138	4	1	352230X2	150	1270	2330	1100	1500	0.44	1.55	2.31	1.52	39.4	
160	240	115	48	90	3	0.9	352032X2	160	745	1330	1100	1400	0.35	1.94	2.88	1.89	16.5	
160	270	150	70	120	2.5	1	352132X2	160	965	1720	1000	1400	0.36	1.86	2.76	1.81	28.3	
160	290	178	80	144	4	1	352232	160	1580	2970	920	1200	0.44	1.55	2.31	1.52	49.1	
165	290	150	70	125	3	1.3	350633/HCC9	165	1210	2300	920	1200	0.31	2.2	3.27	2.15	41.1	
170	230	82	36	65	2.5	0.7	352934X2	170	420	890	1000	1400	0.28	2.39	3.56	2.34	8.11	
170	260	84	84	33	2.5	1	370634X2	170	625	1160	830	1050	0.44	-	-	-	17.2	
170	260	120	54	95	3	0.9	352034X2	170	755	1550	1000	1300	0.31	2.18	3.24	2.13	20	
170	280	150	66	120	2.5	1	352134	170	1070	2000	950	1300	0.38	1.78	2.65	1.74	35.6	
170	310	192	86	152	5	1.1	352234	170	758	1840	750	950	0.44	1.6	2.3	1.5	58.2	

180	250	95	42	74	2.5	0.7	352936X2	180	460	1060	1000	1300	0.37	1.84	2.74	1.8	13.3
180	259.5	70	35	70	2.5	1	350636D1	180	440	850	1000	1300	0.72	0.94	1.4	0.92	11.3
180	280	142	64	110	3	1	352036	180	1070	2220	940	1300	0.42	1.61	2.39	1.57	29.8
180	300	164	72	134	3	1	352136	180	1200	2350	890	1200	0.26	2.46	3.93	2.58	39.9
180	320	192	86	152	5	1.1	352236	180	1530	2750	890	1200	0.36	1.85	2.76	1.81	60
190	260	95	42	75	2.5	0.7	352938X2	190	605	1450	940	1300	0.38	1.76	2.62	1.72	14.4
190	290	134	60	104	3	0.9	352038X2	190	930	1860	890	1200	0.37	1.83	2.72	1.79	28.8
190	320	170	76	130	3	1	352138X2	190	1320	2400	840	1100	0.31	2.15	3.2	2.1	52
190	340	204	92	160	5	1.5	352238	190	1830	3790	800	1000	0.44	1.53	2.28	1.5	75
200	280	116	51	92	3	1	352940	200	750	1770	900	1200	0.39	1.72	2.56	1.68	21
200	310	154	70	120	3	1	352040	200	1260	2620	840	1100	0.43	1.57	2.34	1.53	41.9
200	340	184	82	150	3	1	352140	200	1810	3400	800	1100	0.25	2.74	4.08	2.68	63.8
200	360	218	174	98	5	1.1	352240	200	2350	4350	800	1100	0.41	1.66	2.47	1.62	93.3
220	300	110	48	88	3	0.8	352944X2	220	705	1720	810	1100	0.31	2.18	3.24	2.13	21.2
220	340	164	72	130	4	1.1	352044X2	220	1370	2730	760	1000	0.35	1.95	2.9	1.91	47.9
220	370	195	88	150	4	1.3	352144	220	1680	3200	760	1000	0.37	1.83	2.72	1.79	76.3
240	320	101	48	82	3	1	352948X2	240	675	1550	760	1000	0.32	2.12	3.15	2.07	23.6
240	360	165	72	130	4	1.1	352048X2	240	1460	2890	690	920	0.31	2.15	3.2	2.1	52.8
240	400	210	95	163	3.7	1.3	352148	240	2060	4050	630	840	0.31	2.18	3.24	2.13	98.1
260	360	134	60	108	3	0.9	352952x2	260	1010	2500	670	900	0.3	2.23	3.32	2.18	39.7
260	360	141	63.5	110	3	1	352952	260	1120	2550	670	900	0.41	1.66	2.47	1.62	39
260	400	186	82	146	5	1.3	352052x2	260	1750	3750	630	840	0.29	2.31	3.45	2.26	79.3
260	420	170	170	70	5	5	45T524217C3	260	2090	4300	630	840	0.48	1.41	2.09	1.37	88.4
260	440	225	100	180	4	2.3	352152X2	260	2410	4750	580	770	0.24	2.84	4.23	2.78	124
280	380	134	60	108	3	0.9	352956x2	280	1030	2650	620	820	0.32	2.1	3.13	2.05	44
280	420	186	82	146	5	1.3	352056x2	280	1890	4000	580	770	0.37	1.83	2.72	1.79	82.7
300	420	160	72	128	4	1.1	352960x2	300	1670	3614	580	770	0.28	2.39	3.56	2.34	60.8
300	440	105	105	35	4	4	370660D	300	1020	2300	560	740	0.88	0.77	1.15	0.8	56.3
300	460	210	95	165	5	1.3	352060x2	300	2240	4800	560	740	0.36	1.85	2.76	1.81	118
300	500	205	90	152	5	1.5	351160	300	2400	4450	530	710	0.32	2.12	3.15	2.077	141
320	440	160	72	128	4	1	352964X2	320	1650	3900	530	710	0.31	2.15	3.21	2.11	67.4
320	480	210	95	160	5	1.1	352064x2	320	2310	5750	530	710	0.46	1.47	2.19	1.44	124
320	540	160	160	160	2	5	370664	320	3000	5650	430	570	0.43	1.57	2.43	1.53	408
340	460	160	72	128	4	1.1	352968x2	340	1540	4050	500	660	0.31	2.15	3.2	2.1	71
340	520	180	82	135	5	1.5	351068	340	2060	4100	480	640	0.29	2.35	3.5	2.3	127
340	580	242	106	170	5	1.5	351168	340	3100	6000	460	620	0.42	1.6	2.38	1.56	235
360	480	160	72	128	4	1	352972X2	360	1640	2240	510	680	0.33	2.05	3.05	2	74.7
360	540	185	82	140	5	1.5	351072	360	2880	6300	460	620	0.37	1.82	2.7	1.78	120
360	600	242	106	170	5	1.5	351172	360	3410	6800	400	520	0.44	0.54	2.3	1.51	221
380	520	145	65	105	4	1.1	351976	380	1660	3800	530	710	0.38	1.77	2.64	1.73	78.8
380	560	190	82	140	5	1.5	351076	380	2880	6300	410	540	0.39	1.75	2.61	1.71	137
380	620	242	106	170	5	1.5	351176	380	3410	6850	410	540	0.46	1.47	2.18	1.43	250
400	540	150	65	105	4	1.1	351980	400	1650	3850	530	710	0.45	1.5	2.23	1.47	84.6
400	600	206	90	150	5	1.5	351080	400	2890	6300	410	540	0.38	1.78	2.65	1.74	179
400	650	255	112	180	6	2.5	351180	400	3630	7400	360	480	0.41	1.66	2.47	1.63	279
420	560	145	65	105	4	1.1	351984	420	1880	4450	360	480	0.38	1.77	2.64	1.73	87
420	620	206	90	150	5	1.5	351084	420	2670	5880	360	480	0.41	1.64	2.44	1.6	191
420	700	275	122	200	6	2.5	351184	420	4430	9150	360	480	0.32	2.12	3.15	2.07	376
440	600	170	74	125	4	1.1	351988	440	2300	5300	400	520	0.39	1.73	2.58	1.69	123
440	650	212	94	152	6	2.5	351088	440	3150	6900	360	480	0.44	1.52	2.26	1.49	212
460	620	174	74	130	4	1	351992	460	1960	5150	400	520	0.4	1.69	2.51	1.65	134
460	680	230	100	175	6	2.5	351092	460	3410	7450	360	480	0.31	2.18	3.24	2.13	253
480	650	180	78	130	5	1.5	351996	480	2150	5150	360	480	0.42	1.61	2.4	1.58	159
480	700	240	100	180	6	2.5	351096	480	3100	8200	250	320	0.41	1.66	2.47	1.62	272
480	790	310	136	224	7.5	3	351196	480	6200	13300	250	320	0.39	1.73	2.58	1.69	540
500	670	180	78	130	5	1.5	3519/500	500	1340	6200	350	460	0.43	1.55	2.31	1.52	158
500	720	236	100	180	6	2.5	3510/500	500	3580	8150	410	540	0.32	2.08	3.1	2.04	276
530	710	190	82	136	5	1.5	3519/530	530	2670	6300	320	420	0.39	1.73	2.57	1.69	176
560	750	213	85	156	5	1.5	3519/560	560	3410	8500	310	410	0.43	1.57	2.34	1.53	232
560	820	260	115	185	6	2.5	3510/560	560	2920	5760	310	410	0.4	1.7	2.54	1.67	434
600	800	205	90	156	5	1.5	3519/600	600	3410	9050	290	390	0.33	2.05	3.05	2	247
600	870	270	118	198	6	2.5	3510/600	600	5390	12700	280	380	0.41	1.63	2.43	1.6	517
630	920	265	114.5	212	7.5	4	3510/630X2	630	7000	14000	270	350	0.36	1.87	2.79	1.83	570
670	980	310	136	215	7.5	3	3510/670	670	6300	15100	260	330	0.37	1.83	2.73	1.79	714
710	950	240	106	175	6	2.5	3519/710	710	4730	13200	250	320	0.46	1.47	2.19	1.44	445
710	1030	315	140	220	7.5	3	3511/710	710	5360	9390	90	120	0.43	1.6	2.3	1.5	810
720	915	190	83	140	6	2.5	3506/720	720	3000	10000	260	330	0.38	1.75	2.61	1.72	284
750	1000	264	112	194	6	2.5	3519/750	750	5340	15600	230	310	0.45	1.5	2.24	1.47	546

800	1060	270	115	204	6	2.5	3519/800	800	6870	15200	220	300	0.35	1.93	2.87	1.88	606
850	1120	268	118	188	6	2.5	3519/850	850	6850	18700	210	270	0.46	1.46	2.18	1.43	645
900	1180	275	122	205	6	2.5	3519/900	900	7640	21300	200	260	0.37	1.8	2.69	1.76	763

