




## 四列圆锥滚子轴承

Four-row tapered roller bearings



| 基本尺寸 mm |     |     |                     |                     | 代号        | 基本额定负荷 |      | 质量   |
|---------|-----|-----|---------------------|---------------------|-----------|--------|------|------|
| d       | D   | T   | r <sub>1.2min</sub> | r <sub>3.4min</sub> |           | 动态     | 静态   | kg   |
|         |     |     |                     |                     |           | C      | Co   |      |
|         |     |     |                     |                     |           | KN     | kN   |      |
| 150     | 210 | 165 | 0.7                 | 2.3                 | 382930X2  | 660    | 1590 | 21.2 |
| 150     | 225 | 136 | 3                   | 2.5                 | 382030X2  | 595    | 1460 | 17.7 |
| 170     | 260 | 230 | 3                   | 2.5                 | 382034X2  | 1030   | 3100 | 43   |
| 180     | 280 | 180 | 3                   | 2.5                 | 380636    | 920    | 2540 | 39.6 |
| 200     | 282 | 206 | 3                   | 2.5                 | 380640X1  | 1280   | 3580 | 38.8 |
| 200     | 310 | 200 | 3                   | 2.5                 | 382040X2  | 2170   | 1520 | 55.5 |
| 205     | 320 | 205 | 4                   | 3                   | 380641    | 1160   | 2850 | 55.4 |
| 220     | 340 | 305 | 4                   | 3                   | 382044    | 2800   | 5950 | 99.5 |
| 240     | 360 | 310 | 4                   | 3                   | 382048X2  | 3630   | 2210 | 91   |
| 250     | 385 | 255 | 5                   | 5                   | 380650    | 2310   | 5350 | 108  |
| 260     | 360 | 265 | 3                   | 2.5                 | 382952/HC | 1730   | 5050 | 77.8 |
| 260     | 380 | 280 | 4                   | 7.5                 | 380652X3  | 2400   | 6400 | 108  |
| 260     | 400 | 255 | 5                   | 4                   | 380652    | 2100   | 4900 | 117  |
| 260     | 400 | 345 | 5                   | 4                   | 382052    | 2850   | 7700 | 161  |
| 280     | 460 | 324 | 5                   | 4                   | 381156    | 3680   | 8350 | 219  |

|     |      |       |     |     |             |       |       |       |
|-----|------|-------|-----|-----|-------------|-------|-------|-------|
| 300 | 420  | 300   | 4   | 3   | 382960/HC   | 2750  | 7500  | 130   |
| 300 | 460  | 390   | 5   | 4   | 382060/HC   | 3850  | 10200 | 222   |
| 300 | 500  | 350   | 5   | 4   | 380660/HCC9 | 2730  | 8900  | 280   |
| 300 | 500  | 370   | 5   | 4   | 381160/HC   | 390   | 8800  | 285   |
| 320 | 480  | 380   | 5   | 4   | 382064X2/HC | 3300  | 11500 | 252   |
| 340 | 460  | 310   | 4   | 4   | 382968X2/HC | 3000  | 8950  | 147   |
| 340 | 520  | 325   | 5   | 4   | 381068      | 3520  | 8200  | 247   |
| 340 | 580  | 425   | 5   | 4   | 381168      | 5150  | 12650 | 468   |
| 360 | 480  | 375   | 4   | 4   | 382972X2    | 2550  | 11800 | 196   |
| 360 | 600  | 420   | 4.7 | 4.7 | 381172      | 3950  | 13500 | 423   |
| 380 | 620  | 420   | 5   | 4   | 381176/HC   | 5050  | 12600 | 487   |
| 395 | 545  | 288.7 | 4   | 7.5 | 380679X2    | 2130  | 6500  | 195.5 |
| 400 | 540  | 400   | 5   | 5   | 380680/HC   | 6350  | 13300 | 261.5 |
| 400 | 600  | 356   | 5   | 4   | 381080/HC   | 4950  | 12400 | 345   |
| 420 | 700  | 480   | 6   | 5   | 381184      | 10500 | 11900 | 760   |
| 440 | 650  | 454   | 6   | 5   | 380688      | 6650  | 18800 | 432   |
| 440 | 650  | 376   | 6   | 5   | 381088/HC   | 4900  | 13800 | 420   |
| 460 | 620  | 310   | 5   | 4   | 381992/HC   | 3650  | 10000 | 260   |
| 460 | 650  | 474   | 6   | 6   | 380692      | 4500  | 20000 | 506   |
| 480 | 678  | 494   | 6   | 6   | 380696      | 9130  | 23800 | 571   |
| 480 | 700  | 420   | 5   | 5   | 381096      | 4730  | 16900 | 582   |
| 500 | 720  | 400   | 5   | 5   | 3810/500X2  | 7500  | 18600 | 565   |
| 530 | 780  | 450   | 6   | 5   | 3810/530    | 7200  | 18200 | 744   |
| 530 | 870  | 590   | 7.5 | 6   | 3811/530    | 7170  | 14500 | 1422  |
| 560 | 750  | 368   | 5   | 4   | 3819/560/HC | 7850  | 15800 | 456   |
| 560 | 920  | 620   | 7.5 | 6   | 3811/560    | 20000 | 32000 | 1690  |
| 600 | 800  | 380   | 5   | 4   | 3819/600/HC | 4400  | 18100 | 497   |
| 600 | 870  | 480   | 6   | 6   | 3810/600/HC | 8900  | 27500 | 995   |
| 600 | 980  | 650   | 7.5 | 7.5 | 3811/600/HC | 9650  | 37500 | 1970  |
| 630 | 850  | 418   | 6   | 6   | 3819/630    | 6700  | 22200 | 683   |
| 630 | 920  | 515   | 7.5 | 7.5 | 3810/630/HC | 6550  | 27500 | 1190  |
| 630 | 1030 | 670   | 7.5 | 6   | 3811/630/HC | 16500 | 42000 | 2200  |
| 670 | 900  | 412   | 6   | 6   | 3819/670/HC | 5250  | 24600 | 773   |
| 676 | 910  | 620   | 4   | 8   | 3806/676    | 11000 | 37500 | 1162  |
| 710 | 900  | 410   | 3   | 6   | 3806/710    | 5880  | 27500 | 650   |
| 730 | 1035 | 755   | 3.3 | 6.4 | 3806/730    | 20500 | 58500 | 2120  |
| 750 | 950  | 410   | 6   | 6   | 3806/750    | 9650  | 27780 | 703   |
| 750 | 1220 | 840   | 9.5 | 9.5 | 3811/750    | 17700 | 68500 | 3994  |







